




CARTONS PHOTO:



MOCKUP CARTON:




SELLER's Signature

BUYER's Signatures

PALLET LOADING:

- Pallet size: 1200 mm x 1000 mm (47.24 inches x 39.37 inches)
- Pallet type: Standard wooden pallets
- Pallet weight capacity: Typically 1000-1500 kg (2204-3307 lbs) depending on the specific pallet and its construction
- Pallet height: Generally 150-200 mm (5.91-7.87 inches) in height
- Carton arrangement on pallets: The cartons will be arranged in a single layer on the pallet, with no more than three cartons stacked on top of each other to avoid crushing or damage to the meat products.
- Pallet wrapping: The loaded pallets will be wrapped with stretch film to secure the cartons and prevent them from shifting during transit.
- Temperature control: The refrigerated containers will maintain a temperature of -18°C (0°F) to ensure the products remain frozen during transport.




SELLER's Signature

7

BUYER's Signatures

40 FOOT REFRIGERATED CONTAINER:

- Container type: 40-foot refrigerated container (40' RF)
- Container size: 12.19 m x 2.44 m x 2.59 m (40 ft x 8 ft x 8.5 ft)
- Container weight capacity: Typically 26,000-29,000 kg (57,320-63,934 lbs) depending on the specific container and its refrigeration system
- Temperature control: The refrigerated container will maintain a temperature of -18°C (0°F) to ensure the products remain frozen during transport.
- Loading capacity: The container will accommodate up to 20 standard wooden pallets with a maximum height of 1.8 m (5.91 ft) or 10 pallets with a maximum height of 2.4 m (7.87 ft).
- Loading process: The pallets will be loaded into the container using a forklift or pallet jack, with care taken to ensure they are secured and properly positioned to avoid shifting or damage during transit.
- Container monitoring: The refrigerated container will be equipped with a temperature monitoring system to ensure the temperature is maintained throughout the journey, and any fluctuations or issues can be immediately addressed to prevent damage to the products



SELLER's Signature**8****BUYER's Signatures**
